

## Estimated Resident White-tailed Deer Hunting Activity and Harvest by Wildlife Management Unit (2008-2013)

Important Notes:

1. Harvest numbers are estimates based on replies received from a sample of hunters and are therefore subject to statistical error. Harvest numbers have been rounded to the nearest whole number. The estimated antlered and antlerless harvest may not equal the total harvest due to rounding.
2. The estimate of the number of active hunters may vary from other reported values (e.g. total license sales) as some hunters may hunt in more than one WMU, some hunters may hunt in more than one hunt (regular deer hunt and/or controlled deer hunt), while others may have purchased a license but decided not to hunt.

WMU	YEAR	Estimated # Active Resident Hunters	Estimated Antlered Harvest by Residents	Estimated Antlerless Harvest by Residents	Estimated Total Harvest by Residents
01C	2008				
01C	2009	0	0	0	0
01C	2010	0	0	0	0
01C	2011	107	0	0	0
01C	2012	0	0	0	0
01C	2013	41	0	0	0
02	2008				
02	2009	51	0	0	0
02	2010	86	0	0	0
02	2011	113	0	0	0
02	2012	30	0	0	0
02	2013	48	2	0	2
03	2008	13	99	47	146
03	2009	506	80	37	117
03	2010	339	63	40	103
03	2011	523	36	15	52
03	2012	238	18	42	60
03	2013	386	38	25	64
04	2008	194	5	0	5
04	2009	169	21	0	21
04	2010	180	32	2	34
04	2011	102	21	0	21
04	2012	198	31	5	36
04	2013	145	3	6	9
05	2008	1207	228	193	421
05	2009	1398	249	230	479
05	2010	1100	215	258	473
05	2011	1255	216	200	416

WMU	YEAR	Estimated			
		# Active Resident Hunters	Antlered Harvest by Residents	Antlerless Harvest by Residents	Total Harvest by Residents
05	2012	1399	349	314	663
05	2013	1392	168	108	276
06	2008	254	20	46	66
06	2009	251	40	30	70
06	2010	184	15	46	60
06	2011	181	14	39	53
06	2012	270	73	61	134
06	2013	236	6	41	48
07A	2008	146	20	3	23
07A	2009	59	16	5	21
07A	2010	53	16	0	16
07A	2011	109	19	10	29
07A	2012	70	30	0	30
07A	2013	130	48	11	59
07B	2008	1981	833	1111	1944
07B	2009	1887	797	625	1422
07B	2010	2048	841	833	1674
07B	2011	1624	348	571	919
07B	2012	2062	856	903	1759
07B	2013	1858	481	527	1008
08	2008	1394	571	635	1206
08	2009	1352	601	453	1055
08	2010	1394	624	592	1216
08	2011	1475	543	605	1148
08	2012	1552	608	696	1304
08	2013	1587	607	693	1301
09A	2008	549	51	125	176
09A	2009	520	103	64	168
09A	2010	513	49	91	139
09A	2011	426	56	58	113
09A	2012	469	52	88	140
09A	2013	324	12	53	65
09B	2008	1011	292	306	598
09B	2009	1066	215	242	458
09B	2010	887	260	260	520
09B	2011	943	267	233	500
09B	2012	1222	279	277	556
09B	2013	1142	247	173	420
10	2008	2699	1217	1462	2679
10	2009	2428	985	1099	2083
10	2010	2410	982	1111	2093
10	2011	2476	921	980	1901
10	2012	2776	1233	1139	2372
10	2013	2679	891	976	1867
11A	2008	492	106	112	218
11A	2009	537	112	106	218
11A	2010	367	141	96	238
11A	2011	417	113	128	240
11A	2012	419	84	116	200
11A	2013	440	52	81	133

WMU	YEAR				
		Estimated # Active Resident Hunters	Estimated Antlered Harvest by Residents	Estimated Antlerless Harvest by Residents	Estimated Total Harvest by Residents
11B	2008	200	0	7	7
11B	2009	136	3	5	8
11B	2010	164	4	4	8
11B	2011	176	26	3	29
11B	2012	112	22	0	22
11B	2013	76	0	0	0
12A	2008	81	2	2	4
12A	2009	119	0	0	0
12A	2010	97	2	6	8
12A	2011	93	22	9	31
12A	2012	87	0	0	0
12A	2013	87	0	0	0
12B	2008	611	65	54	120
12B	2009	655	67	52	119
12B	2010	457	54	70	124
12B	2011	483	48	65	113
12B	2012	531	23	79	102
12B	2013	429	82	22	104
13	2008	3281	1032	715	1747
13	2009	3251	1009	671	1680
13	2010	3273	922	698	1620
13	2011	3128	1076	792	1868
13	2012	4170	1481	1100	2581
13	2013	4383	1476	809	2285
14	2008	17	10	10	20
14	2009	96	52	2	54
14	2010	40	4	4	8
14	2011	14	0	3	3
14	2012	104	0	0	0
14	2013	11	0	0	0
15A	2008	217	0	3	3
15A	2009	199	3	0	3
15A	2010	160	2	0	2
15A	2011	107	0	2	2
15A	2012	47	0	2	2
15A	2013	35	0	2	2
15B	2008	485	5	11	15
15B	2009	601	22	3	25
15B	2010	495	22	7	29
15B	2011	409	0	5	5
15B	2012	433	5	12	17
15B	2013	332	0	4	4
16A	2008				
16A	2009	11	0	0	0
16A	2010	6	0	0	0
16A	2011	6	2	0	2
16A	2012	0	0	0	0
16A	2013	18	0	0	0
16B	2008				
16B	2009	24	16	0	16

WMU	YEAR	Estimated # Active Resident Hunters	Estimated Antlered Harvest by Residents	Estimated Antlerless Harvest by Residents	Estimated Total Harvest by Residents
16B	2010	12	0	0	0
16B	2011	13	0	0	0
16B	2012	3	0	0	0
16B	2013	22	4	0	4
16C	2008				
16C	2009	22	0	0	0
16C	2010	0	0	0	0
16C	2011	6	0	0	0
16C	2012	0	0	0	0
16C	2013	4	0	0	0
17	2008				
17	2009	19	0	0	0
17	2010	39	0	0	0
17	2011	8	0	0	0
17	2012	4	6	0	6
17	2013	9	0	0	0
18A	2008				
18A	2009	38	0	0	0
18A	2010	22	0	0	0
18A	2011	21	0	0	0
18A	2012	29	0	0	0
18A	2013	42	0	0	0
18B	2008				
18B	2009	0	0	0	0
18B	2010	0	0	0	0
18B	2011	0	0	0	0
18B	2012	0	0	0	0
18B	2013	6	0	0	0
19	2008				
19	2009	69	13	0	13
19	2010	19	0	3	3
19	2011	15	0	2	2
19	2012	92	0	0	0
19	2013	31	1	0	1
21A	2008	264	16	14	30
21A	2009	346	2	9	11
21A	2010	311	17	6	23
21A	2011	244	2	6	7
21A	2012	293	5	12	17
21A	2013	285	3	18	21
21B	2008				
21B	2009	38	0	0	0
21B	2010	83	0	0	0
21B	2011	33	0	0	0
21B	2012	70	0	0	0
21B	2013	8	0	0	0
22	2008				
22	2009	0	0	0	0
22	2010	0	0	0	0
22	2011	3	0	0	0

WMU	YEAR				
		Estimated # Active Resident Hunters	Estimated Antlered Harvest by Residents	Estimated Antlerless Harvest by Residents	Estimated Total Harvest by Residents
22	2012	27	0	0	0
22	2013	0	0	0	0
23	2008				
23	2009	7	0	0	0
23	2010	6	0	0	0
23	2011	6	0	0	0
23	2012	11	0	0	0
23	2013	12	0	0	0
24	2008				
24	2009	22	0	0	0
24	2010	1	0	0	0
24	2011	2	0	0	0
24	2012	11	0	0	0
24	2013	0	0	0	0
25	2008				
25	2009	2	0	0	0
25	2010	40	0	1	1
25	2011	0	0	0	0
25	2012	7	0	0	0
25	2013	0	0	0	0
26	2008				
26	2009	46	38	0	38
26	2010	3	0	0	0
26	2011	3	0	0	0
26	2012	6	0	0	0
26	2013	0	0	0	0
27	2008				
27	2009	1	0	0	0
27	2010	33	22	0	22
27	2011				
27	2012	0	0	0	0
27	2013	9	0	0	0
28	2008	323	56	9	65
28	2009	172	4	0	4
28	2010	140	4	2	6
28	2011	162	2	2	4
28	2012	155	6	6	12
28	2013	120	0	3	3
29	2008				
29	2009	23	0	0	0
29	2010	48	0	0	0
29	2011	0	0	0	0
29	2012	13	6	0	6
29	2013	35	6	0	6
30	2008				
30	2009	14	0	0	0
30	2010	2	0	0	0
30	2011	8	6	0	6
30	2012	29	0	0	0
30	2013	13	0	0	0

WMU	YEAR				
		Estimated # Active Resident Hunters	Estimated Antlered Harvest by Residents	Estimated Antlerless Harvest by Residents	Estimated Total Harvest by Residents
31	2008				
31	2009	26	0	0	0
31	2010	8	0	0	0
31	2011	8	2	0	2
31	2012	13	0	0	0
31	2013	20	0	0	0
34	2008				
34	2009	33	0	0	0
34	2010	0	0	0	0
34	2011	51	6	0	6
34	2012	15	11	0	11
34	2013	40	15	0	15
35	2008				
35	2009	119	0	0	0
35	2010	73	2	0	2
35	2011	74	0	3	3
35	2012	83	5	0	5
35	2013	124	18	5	22
36	2008	1668	154	233	388
36	2009	1682	91	137	228
36	2010	1703	264	114	378
36	2011	1670	315	188	502
36	2012	1622	287	187	474
36	2013	1623	158	213	371
37	2008	1896	169	172	341
37	2009	1952	67	104	171
37	2010	1626	100	75	175
37	2011	1450	154	108	262
37	2012	1464	155	147	302
37	2013	1435	144	107	251
38	2008	147	3	3	6
38	2009	83	9	0	9
38	2010	171	6	0	6
38	2011	228	32	0	32
38	2012	186	0	2	2
38	2013	81	8	4	12
39	2008	728	84	45	129
39	2009	710	49	31	80
39	2010	791	59	25	85
39	2011	743	118	39	157
39	2012	933	165	30	195
39	2013	973	152	46	197
40	2008				
40	2009	82	20	4	24
40	2010	59	0	0	0
40	2011	86	0	0	0
40	2012	30	22	0	22
40	2013	50	2	0	2
41	2008	1339	238	108	346
41	2009	1433	190	75	265

WMU	YEAR	Estimated			
		# Active Resident Hunters	Antlered Harvest by Residents	Antlerless Harvest by Residents	Total Harvest by Residents
41	2010	1534	202	80	281
41	2011	1344	173	90	263
41	2012	1530	247	109	356
41	2013	1351	240	128	368
42	2008	2627	463	160	623
42	2009	2822	515	138	653
42	2010	2734	475	173	648
42	2011	2929	536	208	744
42	2012	3201	644	166	810
42	2013	3445	607	152	759
43A	2008	1446	269	238	507
43A	2009	1184	244	192	435
43A	2010	1209	276	169	445
43A	2011	1107	147	145	293
43A	2012	1117	221	125	346
43A	2013	1240	274	139	413
43B	2008	6218	1499	2236	3735
43B	2009	6172	1267	1571	2838
43B	2010	6086	1314	1280	2594
43B	2011	6181	1424	1267	2691
43B	2012	5963	1550	1318	2868
43B	2013	6081	1715	1195	2910
44	2008	178	80	51	131
44	2009	294	71	54	125
44	2010	213	97	37	134
44	2011	245	116	48	164
44	2012	153	54	33	87
44	2013	172	61	18	79
45	2008	1544	244	156	400
45	2009	1570	155	173	327
45	2010	1309	175	170	345
45	2011	1418	371	227	598
45	2012				
45	2013	1480	221	294	515
46	2008	2191	385	397	782
46	2009	2213	304	277	581
46	2010	2113	315	288	603
46	2011	2274	446	456	903
46	2012	2410	506	412	918
46	2013	2412	475	505	980
47	2008	7257	1289	1712	3001
47	2009	7537	1290	1475	2765
47	2010	7612	1232	1609	2840
47	2011	7402	1302	1896	3198
47	2012	7145	1260	1569	2829
47	2013	7148	1391	1528	2919
48	2008	2621	489	278	767
48	2009	2698	439	277	716
48	2010	2884	373	266	639
48	2011	2994	400	375	775

WMU	YEAR	Estimated			
		# Active Resident Hunters	Antlered Harvest by Residents	Antlerless Harvest by Residents	Total Harvest by Residents
48	2012	3026	473	332	805
48	2013	2862	480	468	948
49	2008	4930	644	812	1457
49	2009	4945	503	482	985
49	2010	4920	493	623	1116
49	2011	5585	983	659	1642
49	2012	5390	898	877	1775
49	2013	5525	740	787	1526
50	2008	2131	245	187	432
50	2009	1969	188	138	327
50	2010	1822	158	207	365
50	2011	1860	317	168	485
50	2012	1969	342	260	602
50	2013	2260	370	179	549
53A	2008	3118	537	464	1002
53A	2009	3137	448	350	797
53A	2010	2938	498	294	792
53A	2011	2995	326	351	677
53A	2012	2584	528	393	921
53A	2013	3246	688	536	1224
53B	2008	206	32	22	54
53B	2009	137	23	22	44
53B	2010	219	22	41	63
53B	2011	213	27	57	85
53B	2012	278	63	45	108
53B	2013	60	17	3	20
54	2008	1952	237	258	495
54	2009	1899	236	194	430
54	2010	2033	275	192	467
54	2011	1753	123	141	265
54	2012	1870	277	189	466
54	2013	1643	213	173	387
55A	2008	1437	227	128	355
55A	2009	1453	165	189	354
55A	2010	1446	109	188	297
55A	2011	1550	225	152	377
55A	2012	1506	202	167	369
55A	2013	1345	172	195	367
55B	2008	2371	544	230	775
55B	2009	2540	396	176	572
55B	2010	2269	395	205	600
55B	2011	2353	397	230	627
55B	2012	2292	312	283	595
55B	2013	2612	564	243	808
56	2008	3181	511	564	1075
56	2009	3305	361	374	735
56	2010	3096	335	485	819
56	2011	3247	377	415	792
56	2012	3165	547	347	894
56	2013	3128	404	397	801



WMU	YEAR	Estimated			
		# Active Resident Hunters	Antlered Harvest by Residents	Antlerless Harvest by Residents	Total Harvest by Residents
57	2008	3994	625	555	1179
57	2009	4063	400	676	1076
57	2010	4284	439	646	1084
57	2011	3797	579	609	1188
57	2012	4022	600	595	1195
57	2013	4044	847	614	1460
58	2008	4946	734	577	1311
58	2009	4886	581	522	1103
58	2010	5189	654	629	1283
58	2011	5141	1006	576	1582
58	2012	4861	979	726	1705
58	2013	4856	995	843	1839
59	2008	3240	737	479	1215
59	2009	3354	520	554	1074
59	2010	3781	626	461	1086
59	2011	3356	596	532	1127
59	2012	3215	526	536	1062
59	2013	3856	943	482	1425
60	2008	8248	1032	1291	2323
60	2009	8519	1040	1181	2221
60	2010	7907	974	1019	1994
60	2011	7934	1418	1086	2504
60	2012	8579	1547	1051	2598
60	2013	8332	1640	1107	2746
61	2008	4698	720	670	1390
61	2009	4737	515	487	1002
61	2010	4787	552	368	920
61	2011	4707	612	638	1250
61	2012	5004	755	534	1289
61	2013	5220	728	634	1362
62	2008	3698	616	459	1075
62	2009	3624	488	369	858
62	2010	3631	423	329	752
62	2011	3549	602	384	986
62	2012	3379	570	359	929
62	2013	3660	623	384	1007
63A	2008	6614	1020	1183	2204
63A	2009	6015	580	707	1287
63A	2010	5431	589	190	779
63A	2011	5785	791	603	1394
63A	2012	5535	1056	658	1714
63A	2013	5793	1009	730	1739
63B	2008	1604	416	378	794
63B	2009	1870	317	210	527
63B	2010	1987	356	156	512
63B	2011	1680	358	251	608
63B	2012	1721	417	213	630
63B	2013	1619	421	221	643
64A	2008	3176	670	623	1292
64A	2009	3258	574	344	918

WMU	YEAR	Estimated			
		# Active Resident Hunters	Antlered Harvest by Residents	Antlerless Harvest by Residents	Total Harvest by Residents
64A	2010	2991	767	250	1017
64A	2011	2745	619	411	1030
64A	2012	2865	602	490	1092
64A	2013	3277	1061	527	1589
64B	2008	1369	287	238	525
64B	2009	1222	277	110	386
64B	2010	1206	225	52	276
64B	2011	1195	352	117	470
64B	2012	1192	341	71	412
64B	2013	1354	433	72	505
65	2008	5750	1415	965	2381
65	2009	5927	1316	730	2046
65	2010	5190	1207	476	1684
65	2011	5792	1358	765	2123
65	2012	5909	1750	729	2479
65	2013	6077	1886	773	2658
66A	2008	2512	451	441	892
66A	2009	2370	303	403	706
66A	2010	2161	379	159	538
66A	2011	2074	543	163	705
66A	2012	1903	325	246	571
66A	2013	2165	446	225	672
66B	2008	68	0	0	0
66B	2009	14	2	0	2
66B	2010	31	3	0	3
66B	2011	27	0	0	0
66B	2012	23	0	0	0
66B	2013	44	0	0	0
67	2008	5626	1184	1027	2211
67	2009	5213	906	928	1833
67	2010	5117	1108	428	1536
67	2011	4662	882	449	1330
67	2012	4696	1445	277	1722
67	2013	5051	1418	291	1709
68A	2008	1654	356	185	542
68A	2009	1261	139	124	263
68A	2010	1321	197	78	275
68A	2011	1725	260	108	368
68A	2012	1137	225	93	318
68A	2013	1453	296	84	381
68B	2008	2203	312	258	570
68B	2009	2061	230	233	463
68B	2010	1948	218	119	337
68B	2011	2262	332	142	474
68B	2012	2198	356	122	478
68B	2013	2183	396	117	513
69A	2008	1943	271	323	594
69A	2009	1653	340	257	597
69A	2010	1612	219	202	421
69A	2011	1510	226	195	421

WMU	YEAR	Estimated			
		# Active Resident Hunters	Antlered Harvest by Residents	Antlerless Harvest by Residents	Total Harvest by Residents
69A	2012	1569	311	160	471
69A	2013	1557	309	191	499
69B	2008	334	64	53	117
69B	2009	335	27	46	73
69B	2010	391	126	33	158
69B	2011	383	111	45	156
69B	2012	392	69	60	129
69B	2013	353	94	101	196
70	2008	1970	259	272	531
70	2009	1809	197	167	364
70	2010	1537	185	131	316
70	2011	1485	111	98	209
70	2012	1427	92	123	215
70	2013	1568	178	119	297
71	2008	1277	195	185	380
71	2009	1386	182	196	378
71	2010	1133	186	165	352
71	2011	1310	207	137	343
71	2012	1351	220	100	320
71	2013	1372	220	90	310
72A	2008	1163	226	124	350
72A	2009	1426	270	145	415
72A	2010	1267	166	105	272
72A	2011	1247	164	122	286
72A	2012	1114	225	85	310
72A	2013	1284	343	149	491
72B	2008	118	7	5	12
72B	2009	75	16	5	21
72B	2010	115	8	0	8
72B	2011	89	0	0	0
72B	2012	90	3	3	6
72B	2013	46	0	0	0
73	2008	3168	547	370	916
73	2009	3179	406	352	757
73	2010	2645	313	247	559
73	2011	2333	322	334	656
73	2012	2356	436	211	647
73	2013	2428	451	260	712
74A	2008	658	80	140	220
74A	2009	767	113	118	231
74A	2010	623	54	92	146
74A	2011	776	133	64	197
74A	2012	459	87	66	153
74A	2013	663	63	76	139
74B	2008	1117	258	200	458
74B	2009	970	162	173	335
74B	2010	1078	143	182	325
74B	2011	925	164	160	324
74B	2012	1059	140	166	306
74B	2013	1167	220	207	427

WMU	YEAR	Estimated			
		# Active Resident Hunters	Antlered Harvest by Residents	Antlerless Harvest by Residents	Total Harvest by Residents
75	2008	1629	277	219	496
75	2009	1630	285	191	476
75	2010	1480	288	191	478
75	2011	1684	245	183	428
75	2012	1524	181	181	362
75	2013	1675	276	171	447
76	2008	3718	472	463	935
76	2009	3745	344	326	670
76	2010	3523	406	286	691
76	2011	3499	387	267	654
76	2012	3496	342	240	582
76	2013	3647	421	243	665
77	2008	2304	456	287	743
77	2009	2624	359	328	687
77	2010	2361	273	274	547
77	2011	2293	392	217	609
77	2012	2212	288	237	525
77	2013	2382	313	223	536
78	2008	2926	512	434	946
78	2009	2861	363	289	652
78	2010	2721	338	328	666
78	2011	2544	249	252	501
78	2012	2621	304	210	514
78	2013	2294	258	210	469
79	2008	742	171	75	246
79	2009	714	199	83	282
79	2010	782	139	114	252
79	2011	838	226	72	299
79	2012	844	138	105	243
79	2013	778	115	68	183
80	2008	4115	755	879	1634
80	2009	4219	664	756	1420
80	2010	4301	712	841	1552
80	2011	4288	752	770	1522
80	2012	4138	752	723	1475
80	2013	4456	819	749	1568
81	2008	2281	534	398	933
81	2009	2454	484	328	812
81	2010	2563	406	369	775
81	2011	2264	429	280	708
81	2012	2511	503	360	863
81	2013	2362	437	369	806
82A	2008	6403	1681	2037	3718
82A	2009	6697	1521	1596	3117
82A	2010	6496	1124	1587	2711
82A	2011	5953	1081	1556	2636
82A	2012	5866	1191	1592	2783
82A	2013	6750	1864	1706	3570
82B	2008	918	221	247	467
82B	2009	1092	185	233	417

WMU	YEAR	Estimated			
		# Active Resident Hunters	Antlered Harvest by Residents	Antlerless Harvest by Residents	Total Harvest by Residents
82B	2010	929	197	159	357
82B	2011	962	173	105	278
82B	2012	877	303	121	424
82B	2013	986	212	147	359
82C	2008				
82C	2009				
82C	2010		6	0	6
82C	2011	0	0	0	0
82C	2012				
82C	2013				
83A	2008		116	94	210
83A	2009	1109	80	68	148
83A	2010	971	73	45	118
83A	2011	1030	97	52	149
83A	2012	773	98	30	128
83A	2013	902	198	41	239
84	2008	3077	828	778	1606
84	2009	3048	564	705	1269
84	2010	2904	699	610	1309
84	2011	3001	728	717	1445
84	2012	2947	741	577	1318
84	2013	2987	690	837	1527
85	2008	4853	1049	1410	2458
85	2009	4848	991	1355	2346
85	2010	4906	1118	1536	2654
85	2011	4889	1150	1455	2605
85	2012	5013	1181	1543	2724
85	2013	5202	1241	1584	2826
86	2008	1512	331	409	741
86	2009	1544	285	454	739
86	2010	1643	355	462	817
86	2011	1673	349	431	781
86	2012	1642	340	421	761
86	2013	1768	477	484	961
87	2008	2694	729	472	1200
87	2009	3053	691	511	1203
87	2010	2921	652	566	1218
87	2011	3056	688	511	1200
87	2012	3041	781	551	1332
87	2013	3164	784	580	1364
88	2008	574	131	114	245
88	2009	563	143	115	258
88	2010	448	48	137	185
88	2011	452	74	125	198
88	2012	524	85	166	251
88	2013	559	137	170	306
89	2008	4583	762	840	1602
89	2009	4631	712	821	1533
89	2010	4743	632	869	1501
89	2011	4345	687	790	1477

WMU	YEAR				
		Estimated # Active Resident Hunters	Estimated Antlered Harvest by Residents	Estimated Antlerless Harvest by Residents	Estimated Total Harvest by Residents
89	2012	4500	740	812	1552
89	2013	4804	708	706	1414
90	2008	5402	904	959	1863
90	2009	5567	875	1093	1968
90	2010	5412	924	1159	2083
90	2011	5759	951	1141	2092
90	2012	5816	1051	1232	2283
90	2013	5983	895	1411	2306
91	2008	2911	552	673	1225
91	2009	2825	544	527	1071
91	2010	2763	490	622	1113
91	2011	2618	490	516	1005
91	2012	2896	612	501	1113
91	2013	2996	548	588	1136
92	2008	5883	1405	2000	3404
92	2009	6034	1396	1531	2926
92	2010	5995	1389	1874	3263
92	2011	5942	1433	1648	3081
92	2012	6360	1375	1656	3031
92	2013	6231	1662	1678	3341
93	2008	2399	429	638	1067
93	2009	2646	550	608	1158
93	2010	2592	538	656	1194
93	2011	2831	599	556	1155
93	2012	2694	598	614	1212
93	2013	2881	669	712	1380
94	2008	1411	138	248	386
94	2009	1555	220	276	496
94	2010	1403	278	277	555
94	2011	1607	371	193	563
94	2012	1406	275	229	504
94	2013	1669	235	224	459